



DHV-tested Equipment | Flying Equipment Database | Manufacturers / Dealers | Flying Schools | Clubs

DHV Databases

[TECHNICAL DATA](#) [DHV TESTREPORT LTF](#) [DATASHEET](#) [PARTS LIST](#) [PRINT](#)
DHV TEST REPORT LTF 2003**NOVA TATTOO M****Type designation** NOVA Tattoo M**Type test reference no** DHV GS-01-1313-05**Holder of certification** NOVA Vertriebsgesellschaft m.b.H.**Manufacturer** NOVA Vertriebsgesellschaft m.b.H.**Classification** 2 GH**Winch towing** Yes**Number of seats min / max** 1 / 1**Accelerator** Yes**Trimmers** No

BEHAVIOUR AT MIN WEIGHT IN FLIGHT (90KG)	BEHAVIOUR AT MAX WEIGHT IN FLIGHT (110KG)
---	--

Take off**1-2****1-2****Inflation** evenly, immediately**Rising behaviour** immediately comes over pilot**Take off speed** average**Take off handling** easy

evenly, immediately

immediately comes over pilot

average

easy

Straight flight**1-2****1-2****Roll damping** average

average

Turn handling**2****1-2****Spin tendency** average

slight

Control travel slight

average

Agility average

average

Symmetric stall**2****1-2****Deep-stall limit** average 60 cm - 75 cm

average 60 cm - 75 cm

Full stall limit average 65 cm - 80 cm

average 65 cm - 80 cm

Increase in steering power high

high

Front collapse**2****1-2****Pre-acceleration** average

average

Opening behaviour spontaneous, delayed

spontaneous, delayed

Asymmetric collapse**2****2****Turn tendency** 90 - 180 degrees

90 - 180 degrees

Change of course 90 - 180 degrees

90 - 180 degrees

Rate of turn average

average

Max. roll/pitch angle greater than 45 degrees

greater than 45 degrees

Loss of altitude average

average

Stabilization spontaneous

spontaneous

Opening behaviour spontaneous, impulsive

spontaneous, delayed

Countersteering an asymmetric collapse**2****1-2****Stabilization** countersteering easy

countersteering easy

Control travel slight

average

Control pressure increase average

average

Turn in opposite direction easy, no tendency to stall

easy, no tendency to stall

Opening behaviour spontaneous, delayed

spontaneous, delayed

Full stall, symm. exit**2****2****Spin out of straight flight****2****2****Spin out of turn****2****1-2****Spiral dive** **1-2****1-2****Entry** average

average

Spin tendency slight

slight

Exit spontaneous

spontaneous

Sink rate after 720 °[m/s] 14

9

B-line stall**1-2****1-2****Entry** easy

easy

Exit spontaneous

spontaneous

Big ears	1-2	1-2
	Entry easy	easy
	Recovery spontaneous, quickly	spontaneous, quickly
Landing	1-2	1-2
	Landing behaviour average	average
Front collapse (accelerated)	2	2
	Pre-acceleration slight	average
	Opening behaviour spontaneous, delayed	spontaneous, delayed
Asymmetric collapse (accelerated)	2	2
	Turn tendency 180 - 360 degrees	180 - 360 degrees
	Change of course 180 - 360 degrees	180 - 360 degrees
	Rate of turn average	average
	Max. roll/pitch angle greater than 45 degrees	greater than 45 degrees
	Loss of altitude high	average
	Stabilization spontaneous	spontaneous
	Opening behaviour spontaneous, quickly	spontaneous, impulsive
Big ears accelerated	1-2	1-2
	Entry easy	easy
	Recovery not spontaneously	spontaneous, quickly

by Jursa Consulting